



PRODUCT CONTROL NOTICE OF ACCEPTANCE

**Premdor Entry Systems
One Premdor Drive
Dickson, TN 37055**

BUILDING CODE COMPLIANCE OFFICE
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

CONTRACTOR LICENSING SECTION
(305) 375-2527 FAX (305) 375-2558

CONTRACTOR ENFORCEMENT DIVISION
(305) 375-2966 FAX (305) 375-2908

PRODUCT CONTROL DIVISION
(305) 375-2902 FAX (305) 372-6339

Your application for Notice of Acceptance (NOA) of:

Fiberglass Door- Inswing - Opaque In a Wood Frame

under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This NOA shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at any time from a jobsite or manufacturer's plant for quality control testing. If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined by BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

ACCEPTANCE NO.: 01-1031.01
EXPIRES: 11/16/2006

Raul Rodriguez
Chief Product Control Division

THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL CONDITIONS BUILDING CODE & PRODUCT REVIEW COMMITTEE

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Miami-Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.
Director
Miami-Dade County
Building Code Compliance Office

APPROVED: 12/11/2001

APPROVED: December 11, 2001

EXPIRES: November 16, 2006

NOTICE OF ACCEPTANCE: SPECIFIC CONDITIONS

1. SCOPE

- 1.1 This **renews** Notice of Acceptance (NOA) No. **98-0223.07**, which was issued on November 16, 2000. It renews the approval of a residential insulated fiberglass door, as described in Section 2 of this NOA, designed to comply with the South Florida Building Code (SFBC), 1994 Edition for Miami-Dade County, for the locations where the pressure requirements, as determined by SFBC Chapter 23, do not exceed the Design Pressure Rating values indicated in the approved drawings.

2. PRODUCT DESCRIPTION

- 2.1 The **Inswing Opaque Single Residential Insulated Fiberglass Door** and its components shall be constructed in strict compliance with the following document: Drawing No **31-1033-I**, Sheets 1 through 4 of 4, titled "Premdor 3' 0" x 6' 8" (Fiberglass) Door w/Bumper Threshold in Wood Frame (Inswing)," prepared by manufacturer, dated 1/27/98 and revised on 10/18/00, bearing the Miami-Dade County Product Control renewal stamp with the NOA number and expiration date by the Miami-Dade County Product Control Division. This document shall hereinafter be referred to as the approved drawings.

3. LIMITATIONS

- 3.1 This approval applies to single unit applications of single, as shown in approved drawings.
3.2 Unit shall be installed only at locations protected by a canopy or overhang such that the angle between the edge of canopy or overhang to sill is less than 45 degrees. Unless unit is installed in non-habitable areas where the unit and the area are designed to accept water infiltration.

4. INSTALLATION


- 4.1 The residential insulated fiberglass door and its components shall be installed in strict compliance with the approved drawings.
4.2 Hurricane protection system (shutters): The installation of these units **will require** a hurricane protective system.

5. LABELING

- 5.1 Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved".

6. BUILDING PERMIT REQUIREMENTS

- 6.1 Application for building permit shall be accompanied by copies of the following:
6.1.1 This Notice of Acceptance
6.1.2 Duplicate copies of the approved drawings, as identified in Section 2 of this Notice of Acceptance, clearly marked to show the components selected for the proposed installation.
6.1.3 Any other documents required by the Building Official or the South Florida Building Code (SFBC) in order to properly evaluate the installation of this system.



Raul Rodriguez, Chief
Product Control Division


APPROVED: December 11, 2001

EXPIRES: November 16, 2006

NOTICE OF ACCEPTANCE: STANDARD CONDITIONS


1. Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documentation, including test supporting data, engineering documents, are no older than eight (8) years.
2. Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Miami-Dade County Product Control Approved", or as specifically stated in the specific conditions of this Acceptance.
3. Renewals of Acceptance will not be considered if:
 - a) There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes;
 - b) The product is no longer the same product (identical) as the one originally approved;
 - c) If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product;
 - d) The engineer who originally prepared, signed and sealed the required documentation initially submitted is no longer practicing the engineering profession.
4. Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.
5. Any of the following shall also be grounds for removal of this Acceptance:
 - a) Unsatisfactory performance of this product or process.
 - b) Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purpose.
6. The Notice of Acceptance number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
7. A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all time. The engineer need not reseal the copies.
8. Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.
9. This Notice of Acceptance consists of pages 1, 2 and this last page 3.

END OF THIS ACCEPTANCE



Raul Rodriguez, Chief
Product Control Division

PREMDOR
3'-0 x 6'-8 (FIBERGLASS) DOOR WITH
BUMPER THRESHOLD IN A WOOD FRAME
(INSWING)




NOTES:

- 1.) WOOD BUCKS BY OTHERS. MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.
- 2.) THE PRECEDING DRAWINGS ARE INTENDED TO QUALIFY THE FOLLOWING INSTALLATIONS.
 - A. WOOD FRAME CONSTRUCTION WHERE DOOR SYSTEM IS ANCHORED TO A MINIMUM TWO BY WOOD OPENING.
 - B. MASONRY OR CONCRETE CONSTRUCTION WHERE DOOR SYSTEM IS ANCHORED TO A MINIMUM TWO BY STRUCTURAL WOOD BUCK.
 - C. MASONRY OR CONCRETE CONSTRUCTION WHERE DOOR SYSTEM IS ANCHORED DIRECTLY TO CONCRETE OR MASONRY WITH OR WITHOUT A NON-STRUCTURAL ONE BY WOOD BUCK.
3. ALL ANCHORING SCREWS TO BE #10 WITH MINIMUM 1 1/2\"/>



R.H. INSWING



L.H. INSWING

PRODUCT RENEWED

ACCEPTANCE No. 01-1031.01

EXPIRATION DATE: November 16, 2006

BY: *[Signature]*
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE

APPROVED AS COMPLYING WITH THE

SOUTH FLORIDA BUILDING CODE

DATE: November 16, 2006

BY: *[Signature]*

PRODUCT CONTROL DIVISION

BUILDING CODE COMPLIANCE OFFICE

ACCEPTANCE NO. 98-0223.07

C	DADE COUNTY MODIFICATIONS	10/18/00	JD
B	DADE COUNTY MODIFICATIONS	8/28/00	JD
A	ADD SHEET 4 & REDRAWN	8-13-98	RS
LIR	REVISIONS	DATE	BY
PART NAME: PREMDOR (FIBERGLASS) DOOR		SCALE:	

PREMDOR ENTRY SYSTEMS
911 E. JEFFERSON
PITTSBURG, KS 66762

31-1033-I
SHEET 1 OF 4

REVISION LETTER C

PRODUCT RENEWED

ACCEPTANCE No. 01-1031.01
EXPIRATION DATE November 16, 2006
By [Signature]
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE

MATERIALS LIST


ITEM NO.	DESCRIPTION	PART NUMBER	COMMENTS
①	WOOD-HEAD JAMB	FG-09	1 1/4' x 4 9/16' MTL. TO BE WOOD.
②	COMPRESSION WEATHERSTRIP	FG-15	LOXSEAL 9650 (BRONZE)
③	WOOD-STRIKE JAMB	FG-10	1 1/4' x 4 9/16' MTL. TO BE WOOD.
④	ALUMINUM-BUMPER THRESHOLD	FG-14	1 1/4' x 4 9/16'
⑤	WOOD-TOP RAIL	FG-06	31/32' x 34 19/32' MTL. TO BE WOOD.
⑥	FIBERGLASS SKIN	APPLIED COMPOSITES	MIL. TENSILE STRENGTH 2700 PSI PER ASTM D 1681 .095" THICK FIBERGLASS
⑦	POLYURETHANE FOAM CORE	BASF FOAM	DENSITY 2.0 TO 2.5 lbs./ft
⑧	WOOD-BOTTOM RAIL	FG-07	31/32' x 34 19/32' MTL. TO BE WOOD
⑨	WOOD LOCK BLOCK	FG-05	2 11/16' x 21' MTL. TO BE WOOD
⑩	WOOD-HINGE JAMB	FG-08	1 1/4' x 4 9/16' MTL. TO BE WOOD.
⑪	HINGE & STRIKE STILE (BLANK)	FG-04	31/32' x 79 5/16' MTL. TO BE WOOD.
⑫	4"x4" HINGE	FG-13	.097 THICK (STEEL)
⑬	#10 x 2" F.H.W.S.		(2) PER HINGE INTO JAMB
⑭	#10 F.H.W.S. V/MINIMUM 1 1/2" EMBEDMENT OR 3/16" PFH TAPCONS V/MINIMUM 1 1/2" EMBEDMENT		(5) SCREWS PER JAMB (2) SCREWS PER HEAD JAMB (2) SCREWS PER THRESHOLD
⑮	#10 x 3/4" F.H.W.S.		(2) SCREWS PER HINGE INTO JAMB (4) PER HINGE INTO DOOR
⑯	#8 x 2" F.H.W.S.		(2) AT EACH STRIKE PLATE
⑰	LOCKSET		KWIKSET BRAND 200 LOCK OR HARLOC 100
⑱			
⑲			
⑳			

* UNITS SHALL BE INSTALLED ONLY AT LOCATIONS PROTECTED BY A CANOPY OR OVERHANG SUCH THAT THE ANGLE BETWEEN THE EDGE OF CANOPY OR OVERHANG TO SILL IS LESS THAN 45 DEGREES. UNLESS UNIT IS INSTALLED IN NON-HABITABLE AREAS WHERE THE UNIT AND THE AREA ARE DESIGNED TO ACCEPT WATER INFILTRATION.


DESIGN PRESSURE RATINGS (Inswing Doors)		
	WHERE WATER INFILTRATION REQUIREMENT IS NEEDED *	WHERE WATER INFILTRATION REQUIREMENT IS NOT NEEDED
Positive	Not Approved *	+76.0 psf
Negative	Not Approved *	-76.0 psf

APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE November 16, 2000
BY [Signature]
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 98-0223.07

LIMITS: UNLESS NOTED, FRAC. : DEC. : ANG. :	B	DADE COUNTY MODIFICATIONS	8/28/00	JD
EXTRUSIONS: UNLESS NOTED, STD. COM'L. TOL'S.	A	ADD INTERIOR/EXTERIOR NOTE	8-22-98	RS
ENGINEER:	LIR.	REVISIONS	DATE	BY
		PART NAME: FIBERGLASS DOOR (B-B)		
DR. BY R.S.	DATE 1-27-98	MAT'L:	SCALE:	
PREMDOR ENTRY SYSTEMS			31-1033-I	
911 E. JEFFERSON			SHEET 2 OF 4	
PITTSBURG, KS. 66762				
			REVISION LETTER	D



SECTION B-B
INSWING



SECTION A-A
INSWING


PRODUCT RENEWED

ACCEPTANCE NO. 01-1031.01
 EXPIRATION DATE November 16, 2006
 By Manuel Perez
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 98-0225.07


APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE November 16, 2000
 BY Manuel Perez
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 98-0225.07

LIMITS: UNLESS NOTED, FRAC. : DEC. : ANG. : EXTRUSIONS: UNLESS NOTED, STD. COM'L. TOL'S. ENGINEER: DR. BY R.S. DATE 1-27-98 PREMDOR ENTRY SYSTEMS 911 E. JEFFERSON PITTSBURG, KS. 66762	C	DADE COUNTY MODIFICATIONS	10/10/00	JD
	B	DADE COUNTY MODIFICATIONS	8/28/00	JD
	A	ADD INTERIOR/EXTERIOR NOTE	8-13-98	RS
	LTR.	REVISIONS	DATE	BY
PART NAME: FIBERGLASS DOOR (A-A)		SCALE:		
31-1033-I		SHEET 3 OF 4		
REVISION LETTER		C		


OTHER DOOR TYLES EMBOSS




NARROW
6 PANEL




STANDARD
6 PANEL




STANDARD
4 PANEL




N/E
4 PANEL




NARROW
4 PANEL




4 PANEL
EYEBROW




5 PANEL
EYEBROW



FLUSH
TYP.



9 PANEL



FLUSH S/R

PRODUCT RENEWED

ACCEPTANCE No. 0-1031.01 APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE November 16, 2000
EXPIRATION DATE November 16, 2006 BY M. A. Smith
By [Signature] PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 0-0223.07

LIMITS: UNLESS NOTED, FRAC. : DEC. : ANG. :	A	DADE COUNTY MODIFICATIONS	10/18/00	JD
EXTRUSIONS: UNLESS NOTED, STD. COM'L. TOL'S.	LTR.	REVISIONS	DATE	BY
ENGINEER:	PART NAME: PREMDOR (FIBERGLASS) DOOR OPTIONS			
DR. BY J.D.	DATE 8-28-00	MAT'L:	SCALE:	
PREMDOR ENTRY SYSTEMS			31-1033-I	
911 E. JEFFERSON			SHEET 4 OF 4	
PITTSBURG, KS. 66762			REVISION LETTER A	